
Inlet Supplies for Agilent GCs with Split/Splitless Inlet



Visit **www.restek.com** for a complete product listing.

| Septa (11 mm) | | | 50 mł | 100 mk |
|---------------------------------------|-------------------|-------------------|-----------------|------------------|
| Septum Diameter | | | 50-pk. cat.# | 100-pk. cat.# |
| Thermolite Plus Septa (usable to 35 | 0 °C inlet temp. |) | cutin | cucin |
| 11 mm (7/16"), with CenterGuide | | | 23864 | 23865 |
| Premium Non-stick BTO Septa (usat | ole to 400 °C inl | et temp.) | | |
| 11 mm (7/16"), with CenterGuide, pred | Irilled | | 27090 | 27091 |
| Viton O-Rings | Max | Similar to | 10 mk | 50 mk |
| Description | Temp | Agilent Part # | 10-pk. cat.# | 50-pk. cat.# |
| Viton O-Rings for Agilent GCs | 300 °C | 5188-5365 | 22241 | 22242 |
| Topaz Inlet Liner | | | | |
| ID x OD x Length | | | qty. | cat.# |
| Single Taper, Premium Deactivation, E | orosilicate Glas | s with Quartz Woo | | |
| 4.0 mm x 6.5 mm x 78.5 mm | | | 5-pk. | 23303 |
| ID x OD x Length | | | qty. | cat.# |
| Single Taper, Premium Deactivation, B | orosilicate Glass | 5 | | |
| 4.0 mm x 6.5 mm x 78.5 mm | | | 5-pk. | 23302 |
| ID x OD x Length | | | qty. | cat.# |
| Precision, Premium Deactivation, Bor | osilicate Glass w | ith Quartz Wool | | |
| 4.0 mm x 6.3 mm x 78.5 mm | | | 5-pk. | 23305 |
| ID x OD x Length | | | qty. | cat.# |
| Cyclo, Premium Deactivation, Borosili | cate Glass | | | |
| 4.0 mm x 6.3 mm x 78.5 mm | | | 5-pk. | 23312 |
| Dual Vespel Ring Inle | t Seals wa | isherless, Leak | -Tiaht Se | als |
| . 5 | | 2-pk. | 10-pk. | 50-pk. |
| 0.8 mm ID Dual Vespel Ring Inlet Se | al | cat.# | cat.# | cat.# |
| | | | 21241 | 23418 |

Replacement Inlet Seals with Washers

| Single-column | Similar to | 2-pk. | 10-pk. | 50-pk. | |
|---------------------|----------------|-------|--------|--------|--|
| 0.8 mm ID (Opening) | Agilent part # | cat.# | cat.# | cat.# | |
| Gold-Plated | 5188-5367 | 21317 | 21318 | 23415 | |

Compact Ferrules for Agilent 5890/6890/6850/7890 GCs

| 5 | | |
|----------------|-------------------------|---------------------------------------|
| Fits Column ID | qty. | Graphite |
| 0.25/0.28 mm | 10-pk. | 20250 |
| 0.32 mm | 10-pk. | 21007 |
| 0.45/0.53 mm | 10-pk. | 20252 |
| | 0.25/0.28 mm 0.32 mm | 0.25/0.28 mm 10-pk. 0.32 mm 10-pk. |



Questions? Contact us or your local Restek representative (www.restek.com/contact-us).

Restek patents and trademarks are the property of Restek Corporation. (See www.restek.com/Patents-Trademarks for full list.) Other trademarks in Restek literature or on its website are the property of their respective owners. Restek registered trademarks are registered in the U.S. and may also be registered in other countries. To unsubscribe from future Restek communications or to update your preferences, visit www.restek.com/subscribe To update your status with an authorized Restek distributor or instrument channel partner, please contact them directly.

© 2018 Restek Corporation. All rights reserved. Printed in the U.S.A.

www.restek.com



Lit. Cat.# GNSS2128B-UNV